


# K.D.A Part List for Driveline Components


For Round Bearing type yokes

KDA Co.,Ltd.


## Flange Yokes

No.	Series	Part Number	Mounting size	Flange face to	USE KIT	Remark
		KDA P/N	Pilot die / Bolt Holes	Centerline	No.	
1	1000	H10-2-29	2.250 / .312-4	1.592	5-170X	
2	1310	H2-2-329	2.375 / .375-4	1.375	5-153X	
3	1310	H2-2-479	2.750 / .438-4	1.375	5-153X	
4	1330	H2-2-949	2.000 / .484-4	1.625	5-213X / 5.790X / 5.812X	
5	1350	H3-2-119	2.750 / .438-4	1.562	5-178X	
6	1480	H3-2-479	3.750 / .500-4	2.000	5-188X	
7	1550	H4-2-669	3.750 / .500-4	2.000	5-155X	
8	1610	H5-2-629	7.750 / .375-8	2.750	5-279X	
9	1610	H5-2-279	6.625 / .375-8	2.750	5-279X	
10	1710	H6-2-749	7.750 / .375-8	3.000	5-280X	
11	1710	H6-2-739	7.750 / .438-8	3.000	5-280X	
12	1760	H6.3-2-19	7.750 / .438-8	3.375	5-407X	
13	1810	H6.5-2-329	7.750 / .438-12	3.375	5-281X	
14	1880	H8-2-109	7.000 / .625-8	3.500	5-308X	


## Tube Weld Yokes

No.	Series	Part Number	Use With Tubing	Centerline to	USE KIT	Remark
		KDA P/N	Didmeter & Wall	Point of Weld	No.	
15	1000	H10-28-17	1.750 x .065 W	2.000	5-170X	
16	1210	H2-28-2417	2.000 x .083 W	1.500	5-443X	
17	1210	H2-28-1947	2.500 x .065 W	1.313	5-443X	
18	1310	H2-28-357	2.000 x .083 W	1.688	5-153X	
19	1310	H2-28-577	2.000 x .095W	1.688	5-153X	
20	1310	H2-28-1757	2.000 x .120 W	1.688	5-153X	
21	1310	H2-28-277	2.500 x .065 W	1.844	5-153X	
22	1310	H2-28-327	3.000 x .065 W	1.688	5-153X	
23	1310	H2-28-437	3.000 x .083 W	1.688	5-153X	
24	1310	H2-28-367	2.500 x .083 W	1.844	5-153X	
25	1310	H2-28-227	2.500 x .065 W	1.844	5-153X	
26	1310	H2-28-427	3.500 x .083 W	1.688	5-153X / 5-1310X	
27	1330	H2-28-1697	3.000 x .083 W	1.719	5-213X	
28	1330	H2-28-1177	3.000 x .065 W	1.719	5-213X	
29	1350	H3-28-57	3.000 x .083 W	2.000	5-178X	
30	1330	H2-28-1717	3.500 x .083 W	1.813	5-213X	
31	1350	H3-28-427	3.500 x .083 W	1.813	5-178X	
32	1330	H2-28-1977	3.500 x .065 W	1.813	5-213X	
33	1350	H3-28-257	3.500 x .065 W	1.813	5-178X	
34	1410	H3-28-97	3.000 x .083 W	2.125	5-160X	
35	1410	H3-28-557	3.500 x .083 W	2.125	5-160X	
36	1410	H3-28-457	4.000 x .083 W	1.875	5-160X / 5-1410X	
37	1480	H3-28-537	3.500 x .083W	2.031	5-188X	
38	1550	H4-28-307	3.500 x .095 W	2.188	5-155X	
39	1610	H5-28-627	3.500 x .134 W	3.000	5-279X	
40	1710	H6-28-347	4.000 x .134 W	3.031	5-280X	
41	1710	H6-28-407	4.500 x .134 W	3.031	5-280X	
42	1710	H6-28-467	4.000 x .134 W	3.688	5-280X	
43	1710	H6-28-137	3.500 x .156 W	3.031	5-280X / 5-675X	
44	1760	H6.3-28-17	4.000 x .134 W	3.031	5-470X	
45	1810	H6.5-28-127	4.500 x .259 W	3.375	5-281X	
46	1810	H6.5-28-117	4.500 x .134 W	3.375	5-281X	
47	SPL170	H170-28-17	4.961 x .118 W	3.700	SPL170X	
48	SPL170	H170-28-27	4.724 x .197 W	4.724	SPL170X	
49	SPL250	H250-28-17	5.197 x .236 W	4.094	SPL250X	


## Slip Yokes

No.	Series	Part Number	Spline	Centerline to	USE KIT	Remark
		KDA P/N	Dimensions	End of Spline	No.	
50	1310	H2-3-128KX	1.375 - 16 Spline	5.375	5-153X	
51	1310	H2-3-6081X	1.172-26Based27Inv'	5.469	5-153X	
52	1350	H3-3-4281X	1.176-26 Based27Inv'	6.940	5-178X	
53	1610	H5-3-2261KX	2.000 - 16 Spline	10.812	5-279X	
54	1710	H6-3-2651KX	2.500 - 16 Spline	11.688	5-280X	
55	1710	H6-3-2671KX	2.500 - 16 Spline	9.594	5-280X	
56	1710	H6-3-3441KX	2.500 - 16 Spline	12.717	5-280X	
57	1760	H6.3-3-41KX	2.500 - 16 Spline	9.250	5-407X	
58	1760	H6.3-3-21KX	2.500 - 16 Spline	11.156	5-407X	
59	1810	H6.5-3-1351KX	3.000 x 16 Spline	10.250	5-281X	
60	1810	H6.5-3-1371KX	3.000 x 16 Spline	11.875	5-281X	


## Stub Shafts

No.	Series	Part Number	Spline	End of Spline	Use With Tubing	Remark
		KDA P/N	Dimensions	to Weld	Didmeter & Wall	
61	1000	H2-40-971	1.250 - 16 Spline	4.469	1.750 x .065	
62	1310	H2-40-1031	1.375 - 16 Spline	5.188	2.000 x .083	
63	1310	H2-40-1701	1.375 - 16 Spline	6.188	2.000 x .120	
64	1310	H2-40-1741	1.250 - 16 Spline	6.000	2.000 x .083	
65	1310	H2-40-1711	1.375 - 16 Spline	6.344	2.500 x .083	
66		H2-40-1811	1.375 - 16 Spline	6.344	2.500 x .065	
67		H2-40-1221	1.375 - 16 Spline	6.438	3.000 x .065	
68		H2-40-1521	1.375 - 16 Spline	6.438	3.000 x .083	
69		H2-40-1851	1.375 - 16 Spline	7.531	2.500 x .083	
70	1350	H3-40-1101	1.500 - 16 Spline	5.938	3.000 x .083	
71	1350	H3-40-1611	1.500 - 16 Spline	7.250	3.000 x .083	
72		H3-40-1421	1.500 - 16 Spline	7.406	3.000 x .083	
73		H3-40-1571	1.562- 16 Spline	6.750	3.500 x .083	
74		H3-40-1491	1.500 - 16 Spline	7.531	3.500 x .083	
75	1610	H5-40-1011	2.000 - 16 Spline	9.688	3.500 x .134	
76	1610	H5-40-1051	2.000 - 16 Spline	9.844	4.000 x .134	
77	1610	H5-40-1041	2.000 - 16 Spline	10.188	3.500 x .134	
78		H5-40-1191	2.000 - 16 Spline	7.562	3.500 x .134	
79	1710	H6-40-521	2.500 -016 Spline	10.562	4.000 x .134	
80	1710	H6-40-541	2.500 -016 Spline	9.250	4.000 x .134	
81	1710	H6-40-621	2.500 -016 Spline	10.656	4.500 x .134	
82	1810	H6.5-40-201	3.000 - 16 Spline	9.469	4.500 x .134	
83	1810	H6.5-40-191	3.000 - 16 Spline	11.250	4.500 x .134	
84		H8-40-91	3.000 - 16 Spline	9.906	4.500 x .259	
85		H8-40-101	3.000 - 16 Spline	11.531	4.500 x .259	


## Midship Shafts

No.	Series	Part Number	Spline	End of Spline	Use With Tubing	Remark
		KDA P/N	Dimensions	to Weld	Didmeter & Wall	
86		H2-53-1191	1.375-10 Spline	3.750	2.500 x .083	
87		H3-53-1031	1.562 - 16 Spline	7.062	3.000 x .083	
88		H3-53-1551	1.500-15Based16Sp'	9.375	3.000 x .083	
89		H3-53-1781	1.500 - 10 Spline	3.875	3.000 x .083	
90		H3-53-1791	1.500 - 10 Spline	3.875	3.500 x .083	
91		H3-53-1801	1.500 - 10 Spline	3.875	4.000 x .083	
92	1550	H5-53-141	1.750 - 10 Spline	4.281	3.500 x .134	
93		H6-53-151	1.958 - 10 Spline	5.156	3.500 x .156	
94	1710	H6-53-201	1.953 - 10 Spline	5.156	4.000 x .134	
95	1710	H6-53-411	1.953 - 38 Inv'	5.156	4.000 x .134	
96	1710	H6-53-311	2.359 - 16 Spline	5.312	4.000 x .134	
97	1760	H6.3-53-21	2.359 - 46 Inv'	5.312	4.062 x .165	
98	1810	H6.5-53-171	2.359 - 46 Inv'	5.312	4.562 x .165	
99	1810	H6.5-53-91	2.359 - 16 Spline	5.312	4.500 x .134	
100	1810	H6.5-53-51	2.359 - 16 Spline	5.438	4.500 x .259	

## Yoke Shafts


No.	Series	Part Number	Spline	Length	Centerline to	Remark
		KDA P/N	Dimensions	of Spline	End of Spline	
101	1710	H6-82-1341-7	2.500 - 16 Spline	4.000	15.031	
102	1710	H6-82-1281	2.500 - 16 Spline	3.500	12.094	
103	1710	H6-82-1281-1	2.500 - 16 Spline	3.500	13.094	
104	1710	H6-82-1061-1	2.500 - 16 Spline	4.000	14.000	
105	1710	H6-82-1061-3	2.500 - 16 Spline	4.000	15.031	
106	SPL170	H170-82-21X	3.8580 - 38 Inv'		11.811	
107	SPL170	H170-82-71X	3.4640 - 34 Inv'		13.850	
108	SPL250	H250-82-21X	3.8580 - 38 Inv'		11.811	

## End Yokes - (Full round bearing type)

No.	Series	Part Number	Spline	Centerline to	USE KIT	Remark
		KDA P/N	Dimensions	End of Hub	No.	
109	1000	H10-4-453	.250 - Key	2.500	5-170X	
110	1000	H10-4-481	.875 - 13 Inv'	3.812	5-170X	
111	1000	H10-4-1473	.312 - Key	2.000	5-170X	
112	1000	H10-4-183	.250 - Key	2.500	5-170X	
113	1310	H2-4-503	.250 - Key	2.563	5-200X	
114	1310	H2-4-533	.312 - Key	2.563	5-200X	
115	1310	H2-4-473	.250 - Key	2.563	5-200X	
116	1310	H2-4-177	0.75	2.562	5-153X / 5-1310X	
117	1310	H2-4-2613	1.25 X .312-Key	2.562	5-153X / 5-1310X	
118	1610	H5-4-5751	2.114 - 32 Inv'	5.375	5-279X	
119	1610	H5-4-6261	1.766 - 34 Inv'	5.438	5-279X	
120	1610	H5-4-3621	1.750 - 10 Spline	5.000	5-279X	
121	1610	H5-4-5721	1.989 - 30 Inv'	6.000	5-279X	
122	1710	H6-4-1981	1.961 - 10 Spline	5.000	5-280X	
123	1710	H6-4-4601	2.350 - 16 Spline	4.938	5-280X	
124	1710	H6-4-6821	2.750 - 10 Spline	5.750	5-280X	
125	1710	H6-4-6611	2.500 - 10 Spline	5.625	5-280X	
126	1710	H6-4-3611	2.500 - 10 Spline	5.625	5-280X	
127	1710	H6-4-5451	2.374 - 46 Inv'	5.688	5-280X	
128	1710	H6-4-5711	2.360 - 36 Inv'	5.438	5-280X	
129	1710	H6-4-7161	2.374 - 46 Inv'	5.391	5-280X	
130	1710	H6-4-3241	2.000 - 10 Spline	5.188	5-280X	
131	1710	H6-4-6031	2.274 - 44 Inv'	5.190	5-280X	
132	1710	H6-4-6401	2.024 - 39 Inv'	5.156	5-280X	
133	1710	H6-4-4591	2.149 - 16 Spline	6.625	5-280X	
134	1710	H6-4-7541	2.146 -41 Inv'	6.625	5-280X	
135	1710	H6-4-7981	2.024 - 39 Inv'	6.125	5-280X	
136	1710	H6-4-6451	1.790 - 34 Inv'	6.312	5-280X	
137	1710	H6-4-6011	2.024 - 39 Inv'	6.125	5-280X	
138	1710	H6-4-7551	2.143 - 41 Inv	6.125	5-280X	
139	1710	H6-4-8731	1.989 - 30 Inv'	6.281	5-280X	
140	1710	H6-4-5991	2.024 - 39 Inv'	5.250	5-280X	
141	1710	H6-4-8081	1.790 - 34 Inv'	5.438	5-280X	
142	1710	H6-4-6331	1.774 - 34 Inv'	4.875	5-280X	
143	1710	H6-4-6481	1.790 - 34 Inv'	5.438	5-280X	
144	1710	H6-4-3791	2.032 - 10 Spline	5.000	5-280X	
145	1710	H6-4-5851	2.024 - 39 Inv'	5.000	5-280X	
146	1710	H6-4-2431	2.032 - 10 Spline	5.375	5-280X	
147	1710	H6-4-7761	2.374 - 46 Inv'	6.500	5-280X	
148	1710	H6-4-6371	2.024 - 39 Inv'	6.250	5-280X	
149	1710	H6-4-5791	2.114 - 32 Inv'	6.250	5-280X	
150	1710	H6-4-5501	2.024 - 39 Inv'	6.500	5-280X	
151	1710	H6-4-6391X	2.024 - 39 Spline	6.250	5-280X / 5-675X	
152	1710	H6-4-7771X	2.390 - 46 Spline	6.500	5-280X / 5-675X	
153	1710	H6-4-1991	2.250 - 10 Spline	6.062	5-280X / 5-675X	
154	1710	H6-4-2381	1.750 - 10 Spline	4.875	5-280X / 5-675X	
155	1710	H6-4-3221	1.960 - 10 Spline	5.250	5-280X / 5-675X	
156	1710	H6-4-4771	2.390 - 46 Spline	5.750	5-280X / 5-675X	
157	1710	H6-4-5841	2.374 - 46 Spline	5.156	5-280X / 5-675X	
158	1710	H6-4-6321	1.774 - 34 Spline	5.969	5-280X / 5-675X	
159	1710	H6-4-6411	2.024 - 39 Spline	5.156	5-280X / 5-675X	
160	1710	H6-4-8001	1.790 - 34 Spline	6.312	5-280X / 5-675X	
161	1760	H6.3-4-161	2.350 - 16 Spline	5.500	5-470X	
162	1760	H6.3-4-531	2.024 - 39 Inv'	5.188	5-470X	
163	1760	H6.3-4-651	2.500 - 10 Spline	6.000	5-470X	
164	1760	H6.3-4-711	2.750 - 10 Spline	5.969	5-470X	
165	1760	H6.3-4-1031	2.374 - 46 Inv'	5.062	5-470X	
166	1810	H6.5-4-3491	2.750 - 10 Spline	6.062	5-281X	
167	1810	H6.5-4-1891	2.350 - 16 Spline	5.500	5-281X	
168	1810	H6.5-4-3251	2.374 - 46 Inv'	5.406	5-281X	
169	1810	H6.5-4-3721	2.374 - 46 Inv'	5.156	5-281X	
170	1810	H6.5-4-2701	2.374 - 46 Inv'	5.438	5-281X	
171	1810	H6.5-4-3371	2.024 - 39 Inv'	5.188	5-281X	
172	1810	H6.5-4-3451	2.500 - 10 Spline	5.875	5-281X	
173	1810	H6.5-4-3911	2.374 - 46 Inv'	6.000	5-281X	
174	1810	H6.5-4-1971	2.225 - 6 Spline	6.000	5-281X	
175	1810	H6.5-4-4631	2.794 - 54 Inv'	5.625	5-281X	
176	1810	H6.5-4-1991	2.422 - 18 Inv'	5.812	5-281X	
177	1810	H6.5-4-4311	2.274 - 44 Inv'	5.250	5-281X	
178	1810	H6.5-4-3021	2.635 X 20 Spline	5.562	5-281X / 5-676X	



## End Yoke - (Half round bearing type)

No.	Series	Part Number	Spline	Centerline to	USE KIT	Remark
		KDA P/N	Dimensions	End of Hub	No.	
179	1350	H3-4-283-1	.312 - Key	3.000	5-178X	
180	1350	H3-4-2171-1	1.375 X 10 Spline	3.281	5-178X / 5-1350X	
181	1410	H3-4-6561-1	1.500 - 10 Spline	3.719	5-160X	
182	1610	H5-4-1721-1	1.750 - 10 Spline	4.125	5-279X	
183	1610	H5-4-7171-1	1.790 - 34 Inv'	4.125	5-279X	
184	1610	H5-4-6321-1	1.998 - 38 Inv'	4.000	5-279X	
185	1710	H6-4-6821-1	2.750 - 10 Spline	5.750	5-280X	
186	1710	H6-4-6371-1	2.024 - 39 Inv'	6.250	5-280X	
187	1710	H6-4-6611-1	2.500 - 10 Spline	5.625	5-280X	
188	1710	H6-4-1981-1	1.961 - 10 Spline	5.000	5-280X	
189	1710	H6-4-4601-1	2.350 - 16 Spline	4.938	5-280X	
190	1710	H6-4-7481-1	2.390 - 46 Inv'	4.936	5-280X	
191	1710	H6-4-7141-1	1.998 - 38 Inv'	5.000	5-280X	
192	1710	H6-4-8461-1	2.274 - 44 Inv'	5.188	5-280X	
193	1710	H6-4-5851-1	2.024 - 39 Inv'	5.000	5-280X	
194	1710	H6-4-8431-1	2.024 - 39 Inv'	6.125	5-280X	
195	1710	H6-4-8411-1	2.024 - 39 Inv'	6.125	5-280X	
196	1710	H6-4-8731-1	1.989 - 30 Inv'	6.281	5-280X	
197	1760H	H6.3-4-1511-1	2.114 - 32 INV'	5.000	5-407X	
198	1760H	H6.3-4-821-1	2.390 - 46 Inv'	5.500	5-407X	
199	1760H	H6.3-4-161-1	2.350 - 16 Spline	5.500	5-407X	
200	1760H	H6.3-4-1421-1	2.2740 - 44 Inv'	5.250	5-407X	
201	1760H	H6.3-4-1411-1	2.2740 - 44 Inv'	5.250	5-407X	
202	1760H	H6.3-4-1031-1	2.374 - 46 Inv'	5.062	5-407X	
203		H6.3-4-651-1	2.500-10 Spline	6.031	5-407X	
204	1760H	H6.3-4-711-1	2.750 - 10 Spline	5.969	5-407X	
205	1760H	H6.3-4-391-1	2.374 - 46 Inv'	5.375	5-407X	
206		H6.3-4-1681-1	2.794 - 54 Inv'	5.625	5-407X	
207	1760H	H6.3-4-531-1	2.024 - 39 Inv'	5.188	5-407X	
208	1810H	H6.5-4-3721-1	2.374 - 46 Inv'	5.156	5-281X	
209	1810H	H6.5-4-3491-1	2.750 - 10 Spline	6.062	5-281X	
210	1810H	H6.5-4-1891-1	2.350 - 16 Spline	5.500	5-281X	
211	1810H	H6.5-4-3591-1	2.390 - 46 Inv'	5.500	5-281X	
212	1810H	H6.5-4-4311-1	2.274 - 44 Inv'	5.250	5-281X	
213	1810H	H6.5-4-4321-1	2.274 - 44 Inv'	5.250	5-281X	
214	1810H	H6.5-4-4631-1	2.794 - 54 Inv'	5.625	5-281X	
215	1810H	H6.5-4-3911-1	2.390 - 46 Inv'	6.000	5-281X	
216	SPL170	H170-4-191-1	2.274 - 44 Inv'	5.270	SPL170X	
217	SPL170	H170-4-1271-1	2.390 - 46 Inv'	5.590	SPL170X	
218	SPL170	H170-4-711-1	2.374 - 46 Spline	5.100	SPL170X	
219	SPL170	H170-4-251-1	2.024 - 39 Inv'	5.156	SPL170X	
220	SPL170	H170-4-511-1	2.750 - 10 Spline	5.850	SPL170X	
221	SPL170	H170-4-211-1	2.024 - 39 Inv'	5.266	SPL170X	
222	SPL170	H170-4-561-1	2.794 - 54 Inv'	5.600	SPL170X	
223	SPL170	H170-4-661-1	2.024 - 39 Spline	6.391	SPL170X	
224	SPL170	H170-4-231-1	2.024 - 39 Inv'	6.500	SPL170X	
225	SPL170	H170-4-271-1	2.024 - 39 Inv'	6.240	SPL170X	
226	SPL250	H250-4-21-1	2.390 - 46 Inv'	5.750	SPL250X	
227	SPL250	H250-4-341-1	2.374 - 46 Spline	5.312	SPL250X	
228	SPL250	H250-4-71-1	2.274 - 44 Inv'	5.490	SPL250X	
229	SPL250	H250-4-271-1	2.794 - 54 Inv'	5.703	SPL250X	
230	SPL250	H250-4-211-1	2.750 X 10 Spline	6.300	SPL250-3X	

## SLEEVE

No.	Series	Part Number	Spline	End of Spline	Remark
		KDA. P/N	Dimensions	to Weld	
231	SPL170	H170-55-21-2X	3.465 - 34 Inv'	7.972	
232	SPL170	H170-55-51-1	3.465 - 34 Inv'	7.984	
233	SPL250	H250-55-31X	3.858 - 38 Inv'	6.909	